




**Europäisches
Patentamt**

**European
Patent Office**

Rec'd
**Office européen
des brevets**



10/526871

PCT/HB 03/03810
44 MAR 2005
18.08.03

#2

Bescheinigung

Certificate

Attestation

Die angehefteten Unterla-
gen stimmen mit der
ursprünglich eingereichten
Fassung der auf dem näch-
sten Blatt bezeichneten
europäischen Patentanmel-
dung überein.

The attached documents
are exact copies of the
European patent application
described on the following
page, as originally filed.

Les documents fixés à
cette attestation sont
conformes à la version
initialement déposée de
la demande de brevet
européen spécifiée à la
page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

✓ 02078656.2

PRIORITY DOCUMENT
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH
RULE 17.1(a) OR (b)

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

R C van Dijk

BEST AVAILABLE COPY



Anmeldung Nr:
Application no.: 02078656.2
Demande no:

Anmeldetag:
Date of filing: 09.09.02
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

Koninklijke Philips Electronics N.V.
Groenewoudseweg 1
5621 BA Eindhoven
PAYS-BAS

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.
If no title is shown please refer to the description.
Si aucun titre n'est indiqué se référer à la description.)

A device for finding media data pertaining to suggestions and method thereof

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s)
revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/
Classification internationale des brevets:

H04N7/00

Am Anmeldetag benannte Vertragsstaaten/Contracting states designated at date of
filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LI LU MC NL PT SE SK TR

A device for finding media data pertaining to suggestions and method thereof

EPO - DG

09.09.2002

(93)

The invention relates to a data processing device for suggesting a user, comprising a detector arranged for detecting a condition pertaining to the user of said device, and presentation means for presenting to the user a suggestion to perform an activity in response to detection of said condition.

5 The invention also relates to a method of suggesting a user, comprising a step of detecting a condition pertaining to the user and a step of presenting to the user a suggestion to perform an activity in response to detection of said condition.

10 Document WO90/15502 discloses a system comprising a timer and display means to display messages at predetermined intervals. Reminder messages such as reminding a viewer to run an errand, reminding an older viewer to take some medicine, or reminding a viewer of an appointment are extracted from a memory. The memory stores a start time and a count time of the message, the message to be displayed upon a television screen. The start
15 time and count time of the message may also be manually set by the user. The message may be created at a computer keyboard and transferred to the memory.

The known system shows messages which are inputted and predetermined by the user. The user has to input text of the message or other information to be reminded about. Such system is rather passive and requires some of user's time which the user often does not
20 have. The known system can display only the information inputted by the user, which is in most cases terse. The displayed text message may be not very direct and descriptive for the user. This passiveness of the known system makes it unattractive for using.

25 It is an object of the invention to provide a device of the kind defined in the opening paragraph which, when used by the user, actively assists the user in conducting his activities.

This object is realized in that the device further comprises search means arranged to automatically find media data which provide the user with a direction for

performing said suggested user's activity, wherein said presentation means is arranged for presenting said found media data to the user.

The detector may be arranged for detecting different conditions and situations such as a scheduled event in a user's agenda, a current user's activity, e.g. the user watches the TV, listens to the radio, reads a newspaper or book, has breakfast etc. Upon detecting one or more of said conditions, the device provides to the user the suggestion to perform the suggested activity. For example, the device may suggest the user to change the current activity of watching TV to another suggested activity of doing physical exercise because the user has been sitting too long at the TV, the device may suggest to start preparing a meal one hour before a visit of friends, or the device may remind the user about some event. Such suggestions may be generated automatically. The search means is arranged for finding and retrieving the media data. The media data are preferably retrieved automatically by the search means so that the user does not necessarily have to input or select or take part in other way in finding and/or retrieving the media data. The device determines what media data can help the user in following the suggestion, e.g. in performing the suggested physical exercises, in preparing the suggested meal. Thus, when said media data are presented to the user, he/she is provided with an extensive description or example how to perform said activity. A video clip about cooking some meal, a video lesson of physical training, a video clip showing a clock from 5 minutes before some event till 1 minute are examples of such media data. The device according to the present invention actively provides to the user media data, which are usually information well perceivable by the user. That media data may also answer possible user's questions about the suggestion.

The object of the invention also realized by the method of the present invention further comprising a step of automatically finding media data which provide the user with a direction for performing said suggested user's activity, and a step of presenting said found media data to the user.

These and other aspects of the invention will be further elucidated and described with reference to the accompanying drawings, wherein:

Fig. 1 shows a functional block diagram of the data processing device suitable for implementing the present invention;

Fig. 2 shows an embodiment of the method according to the present invention.

Throughout the figures, same reference numerals indicate identical or corresponding components.

5 With reference to Fig. 1, a functional block diagram of the data processing device 100 for suggesting a user 101 according to the present invention is shown. The device comprises a detector 110 arranged for detecting a condition 115 pertaining to the user 101. Such condition may be, for example, a time or date of a user's personal schedule, a user's behavior or other. The device may optionally comprise a storage means (not shown) for
10 storing data of the user's schedule in the device, and a timer (not shown) for counting the time in the device, wherein said timer may be coupled to the storage means and/or detector 110. The detector may be arranged for monitoring the user's behavior to detect the condition. For instance, the detector may include a camera for taking pictures of the user's environment and a recognition unit arranged for recognizing objects of the environment from video data
15 recorded by the camera. The detector may also include sound input means for inputting sound from the user's environment, wherein the sound data may be inputted to the recognition unit which may be arranged for recognizing a user's mood, a type of music reproduced in the environment etc.

 The conditions may be predetermined in the device and stored in the storage
20 means, or the device may optionally comprise an analyzing unit arranged for establishing the condition, e.g., by analyzing repetitive events detected by the detector 110, or by adjusting the predetermined conditions to the individual user, or the like.

 The device is arranged for obtaining a suggestion 131 for the user to perform an activity, and the device comprises presentation means 120 for presenting said suggestion
25 to the user 101. The suggestions may be predetermined or generated in the device. The predetermined suggestions may be suggestions which are associated with corresponding predetermined conditions. The predetermined conditions to be detected and corresponding suggestions may be stored in the storage means. In one example, the user may schedule the device to remind the user at the predetermined time and/or date about some information, thus
30 that time and/or date are predetermined conditions, that reminder information is the predetermined suggestion, as it is known in the prior art.

 The device may also comprise suggestion means 130 arranged for autonomously generating the suggestion 131 to perform the activity in response to detection of the condition. The word "autonomously" means that the suggestion means can generate

the suggestions independently from the user. For example, the suggestion means may suggest the user to follow a diet and generates diet-suggestions because, for example, the user spends a lot of time passively without much of the physical activity and has a weight higher than in average, though the user has never been given the diet-suggestions.

5 The prior art systems provide suggestions which are typically short and abstract for the user, e.g. a reminder "to prepare for the meeting", or a suggestion "to start doing homework". Such suggestion does not have sufficient semantic information for details
10 which the user may need to bear in mind with that suggestion. For instance, from a suggestion "to start doing physical exercises" the user may not know or may not remember what exercises to do and/or how exactly or properly to do them. To this end, the device according to the present invention actively participates in the process of suggesting the user by rendering to the user media data 141 which provide the user with a direction for performing the suggested user's activity 131. For example, a TV program, in which the physical exercises guiding the user to perform the suggestion are demonstrated, may be very
15 useful for the user who is suggested "to start doing physical exercises". The user may simply and easily repeat the movements shown at that TV program, which is much better for the user than to be only suggested with the terse suggestion, e.g. in the form of text "do exercises X". Many other benefits of the present invention may be envisaged, e.g. the user may find that the shown physical exercises are new for him/her, the user may be simply pleased with
20 surprising information, the user may learn that some suggested activity can be done in an alternative way or better, and so on.

 The device comprises search means 140 arranged to automatically find said media data 141 upon obtaining the suggestion 131. The presentation means 120 is arranged for presenting the found media data to the user 101. The media data may be audio data and/or
25 video data and/or text data. The presentation means may comprise a speaker (not shown) to render audio media data and/or display (not shown) to render video media data and/or text data. Rendering the media data may also comprise changing parameters of the user's environment, such as an ambient light. Many implementations of the search means are possible. For example, the search means may be arranged to at first generate a request for the
30 media data corresponding to a particular suggestion. Such request may be keywords used to find the media data which can elucidate the suggestion. The request may comprise not only information about the suggestion but also about the detected condition, and generally all information which may be potentially necessary for obtaining the media data upon obtaining the particular suggestion. For instance, the request may comprise information that the user

has to perform physical exercises of a moderate intensity for 10 minutes, and about the current time/date, and/or about a time when the user has eaten last time, and/or what was the user's activity 1 hour before the detection of the condition occurred, etc. The request for the media data may be created by virtue of Structured Query Language (SQL) used to
5 communicate with a database which may be stored externally or internally at the external source or at the device respectively. It is known in the prior art that SQL statements are commonly used to perform tasks such as update data on a database, or retrieve data from a database.

Clearly, the media data to be found may not be known to the search means
10 before the suggestion is obtained. The media data may be found in the storage means of the device 100 further arranged to store the media data. Alternatively, the device 100 may comprise communication means (not shown) capable of downloading media data from an external source via a satellite, terrestrial or cable link, or cellular phone network link etc, wherein the search means is coupled to the communication means for retrieving the found
15 media data. The media data may be retrieved from the Internet using publicly accessible Internet search engines such as "Google.com", "Altavista.com" etc, and generally from any apparatus storing the media data and connected to the device 100 via said communication means etc. In one example, the communication means may be a tuner/receiver arranged for receiving broadcast television or other signals, and/or a modem arranged for transmitting the
20 request for the media data and/or for downloading the found media data.

The device 100 may be incorporated into an apparatus such as a television set, video cassette recorder, personal digital assistant, personal computer, wearable equipment. In that way, the functions of such apparatuses can be extended with functions of the device according to the invention.

25 A starting time of the suggested user's activity may be selected by the user, or by the device automatically with or without a user's confirmation. The starting time may trigger the presentation means to present the found media content to the user. The suggestion means may be arranged to enable the user to manually select the starting time for performing the suggested activity. In that case, the device may comprise input means, e.g. a keyboard,
30 pointing means etc, arranged for providing a user's input to the suggestion means, whereas the presentation means may be arranged to facilitate the user input using the input means. Alternatively, the suggestion means may be arranged to generate a suggested starting time. For example, the suggested time may be generated on the basis of a standard time of doing the suggested activity in the detected conditions by an "archetype" of "regular user" stored in

the device, or the suggested means may analyze a history of the user's behavior if it was recorded in the device. The suggested starting time may be presented to the user by the presentation means 120, and the user may be enabled to confirm presenting the media content at the suggested starting time and/or to select another time using the input means. In turn, the
5 suggestion means may allow the user to modify the starting time only within some time period or impose other limits on the user-inputted modifications.

In one of the embodiments of the present invention, the presentation means
may be further arranged to show for a predetermined time before said starting time a visual representation of a clock indicating at least said starting time. Being presented with such
10 clock, the user may be reminded about some suggested activity in a user-friendly and unobtrusive way. The device may be arranged to show detailed information about the suggestion and/or the corresponding found media content upon a user's request. The user may realize such suggestion information request, for example, by using the pointing input device, e.g. mouse or trackball input device, to click on the visual representation of the clock
15 shown on the presentation means.

The visual representation of the clock may be standard for all suggestions. Alternatively, the detected conditions and/or the suggestions may be divided into different categories with respect to the types of user's activity, such as cooking a meal, physical training, cleaning a household etc. The visual representation may be different for the different
20 categories of the detected conditions and/or the given suggestions.

The functions of the suggestion means, search means and other means, when appropriate, may be implemented using a microprocessor (not shown) coupled to random access memory and read-only memory (ROM) storing a program which when executed by said microprocessor can perform functions of said means as described above. The storage
25 means may be realized with said ROM. The media data may be stored locally in the device or downloaded from the external source. The realization of such microprocessor system with corresponding internal and external circuits will be apparent to the person skilled in the art and need not be discussed herein.

With reference to Fig. 2, an embodiment of the method of suggesting the user
30 according to the present invention is shown. The method comprises a step 210 of detecting the condition pertaining to the user. The method may comprise a step 220 of automatically generating said suggestion to perform said activity in response to detection of said condition. The method further comprises a step 230 of automatically finding media data which provide the user with the direction, in other words which guide the user, for performing said

suggested user's activity, and a step 240 of presenting to the user said found media data which pertain to the suggestion. Other embodiments of the method, which correspond to the described above embodiments of the device of the present invention, may be envisaged.

5 The various program products may implement the functions of the device and method of the present invention and may be combined in several ways with the hardware or located in different other devices. Variations and modifications of the described embodiment are possible within the scope of the inventive concept. Thus, for example, the use of the verb 'to comprise' and its conjugations does not exclude the presence of elements or steps other than those defined in a claim. The invention can be implemented by means of hardware
10 comprising several distinct elements, and by means of a suitably programmed computer. In the device claim enumerating several means, several of these means can be embodied by one and the same item of hardware.

A 'computer program' is to be understood to mean any software product stored on a computer-readable medium, such as a floppy-disk, downloadable via a network,
15 such as the Internet, or marketable in any other manner.

CLAIMS:

09.09.2002

(93)

1. A data processing device for suggesting a user, comprising a detector arranged for detecting a condition pertaining to the user of said device, and presentation means for presenting to the user a suggestion to perform an activity in response to detection of said condition, characterized in that the device comprises

5 search means arranged to automatically find media data which provide the user with a direction for performing said suggested user's activity,

wherein said presentation means is arranged for presenting said found media data to the user.

10 2. The device of claim 1, wherein said detector is arranged for monitoring user's activities.

15 3. The device of claim 1 or 2, further comprising suggestion means arranged for autonomously generating said suggestion to perform said activity in response to detection of said condition.

4. The device of claim 1, wherein said device is arranged to enable the user to manually select and schedule a suggestion being a reminder to perform an activity.

20 5. The device of claim 3, wherein said suggestion means is arranged for suggesting the user to start at least one physical exercise, said search means being arranged for finding media information guiding the user to perform at least one suggested physical exercise.

25 6. The device of claim 3, wherein said suggestion means is arranged to suggest to the user a starting time for performing said suggested activity.

7. The device of claim 3, wherein said suggestion means is arranged to enable the user to manually select a starting time for performing said suggested activity.

8. The device of claim 6 or 7, wherein said presentation means is arranged to show for a predetermined time before said starting time a visual representation of a clock indicating at least said starting time.

5

9. The device of claim 1, wherein said search means is further arranged to obtain said media data from an external source.

10. An apparatus incorporating the device as claimed in any one of the preceding claims, the apparatus being selected from a group of a television set, video cassette recorder, personal digital assistant, personal computer, wearable equipment.

11. A method of suggesting a user, comprising a step of detecting a condition pertaining to the user and a step of presenting to the user a suggestion to perform an activity in response to detection of said condition, characterized in that the method comprises:
a step of automatically finding media data which provide the user with a direction for performing said suggested user's activity, and
a step of presenting said found media data to the user.

12. A computer program product enabling a programmable device when executing said computer program product to function as the device as defined in claim 1.

BEST AVAILABLE COPY

ABSTRACT:

The invention relates to a data processing device (100) for suggesting a user (101), comprising a detector (110) arranged for detecting a condition (115) pertaining to the user of said device, and presentation means (120) for presenting to the user a suggestion to perform an activity in response to detection of said condition. The device further comprises
5 search means (140) arranged to automatically find media data (141) which provide the user with a direction for performing said suggested user's activity (131), wherein said presentation means is arranged for presenting said found media data to the user. The found media data, when are presented to the user, elucidate to the user how the suggestion can be realized. For
10 instance, the device may show to the user a video clip demonstrating how suggested physical exercises may be performed. The invention also relates to a method of suggesting the user.

Fig. 1

EPO - DG 1

09.09.2002

93

09.09.2002

1/1

93




FIG. 1




FIG. 2